

IN THE CLAIMS:

Please AMEND claims 1-15 as follows.

1. (Currently Amended) A method, comprising:

transmitting multicast data packets in at least one first multicast tree from one transmitter through a plurality of multicast controllers to a plurality of recipients;

generating at least one second multicast tree ~~configured to~~ for control messages in an internet protocol network from a network multicast controller to at least one multicast controller at cell level; and

transmitting the control messages from the network multicast controller along the at least one second multicast tree to the at least one multicast controller at cell level, the control messages comprising information on the multicast transmission of the internet protocol network and a command configured to connect to the at least one first multicast tree of the internet protocol network configured for multicasts.

2. (Currently Amended) A method as claimed in claim 1, further comprising:

connecting, when connecting to the internet protocol network, the at least one ~~cell-level~~ multicast controller at cell level to the at least one multicast tree configured for the network control messages.

3. (Currently Amended) A method as claimed in claim 1, further comprising:

connecting, after receiving a control message from the network multicast controller through the at least one multicast tree configured for the control messages, the at least one ~~cell-level~~ multicast controller at cell level to the at least one multicast tree configured for multicasts and defined in the control message.

4. (Currently Amended) A method as claimed in claim 1, further comprising: transmitting, after connecting to the at least one first multicast tree configured for multicasts, by the at least one ~~cell-level~~ multicast controller at cell level, packets received through the at least one multicast tree to at least one receiver in a cell.

5. (Currently Amended) A method as claimed in claim 1, wherein the ~~transmitting~~ comprises transmitting the control messages further comprising comprise information on an identifier of one or more multicast groups.

6. (Currently Amended) A method as claimed in claim 1, wherein the ~~transmitting~~ comprises transmitting the control messages further comprising comprise information on a time of validity of the control messages.

7. (Currently Amended) A method as claimed in claim 1, wherein the ~~transmitting~~ comprises transmitting the control messages further comprising comprise information on a sender authentication.

8. (Currently Amended) A method as claimed in claim 1, wherein the ~~transmitting comprises transmitting the control messages further comprising comprise~~ a receiver filter.

9. (Currently Amended) A method as claimed in claim 1, further comprising: registering, after receiving a control message from the network multicast controller, by the at least one ~~cell-level~~ multicast controller at cell level, a recipient of a multicast defined in a control message.

10. (Currently Amended) A method as claimed in claim 1, further comprising: notifying, after receiving a control message from the network multicast controller, by the at least one ~~cell-level~~ multicast controller at cell level, recipients of its cell that a multicast is available.

11. (Currently Amended) A method as claimed in claim 1, further comprising: notifying, after receiving a control message from the network multicast controller through the at least one multicast tree configured for control messages, by the at least one ~~cell-level~~ multicast controller at cell level, recipients of its cell that a multicast must be received.

12. (Currently Amended) A method as claimed in claim 1, further comprising: refraining, after receiving a control message from the network multicast controller through the at least one multicast tree configured for control messages, from processing the control message by the at least one ~~cell-level~~ multicast controller at cell level.

13. (Currently Amended) An arrangement for implementing multicasting in internet protocol networks, the arrangement comprising:

a plurality of routers configured to transmit of different components in the internet protocol networks to each other;

at least one first multicast tree configured to transmit multicast packets through a plurality of multicast controllers to a plurality of recipients;

a plurality of cell-level multicast controllers configured to transmit packets to the plurality of receivers; and

a network multicast controller that is arranged to control the cell-level multicast controllers,

wherein an internet protocol network comprises at least one second multicast tree configured to route control messages from the network multicast controller to the plurality of cell-level multicast controllers, the network multicast controller configured to transmit control messages along the at least one second multicast tree to the plurality of cell-level multicast controllers, and the control messages comprise information on the multicast transmission of the internet protocol network and a command configured to

connect to the at least one first multicast tree of the internet protocol network configured for multicast transmissions.

14. (Currently Amended) An arrangement as claimed in claim 13, wherein the ~~cell-level multicast controller~~ ~~is~~ controllers are configured to connect to the multicast tree configured for network control messages when connecting to an internet protocol network.

15. (Currently Amended) An arrangement as claimed in claim 13, wherein the ~~cell-level multicast controller~~ ~~is~~ controllers are configured to connect to the multicast tree of an internet protocol network configured for multicasts after receiving a control message from the network multicast controller through the multicast tree configured for control messages.

16. (Previously Presented) An arrangement, comprising:
first transmission means for transmitting different components in internet protocol networks to each other;

second transmission means for transmitting multicast packets through a plurality of multicast controllers to a plurality of recipients;

third transmission means for transmitting packets to the plurality of receivers; and
control means for controlling the cell-level multicast controllers,

wherein an internet protocol network comprises fourth transmission means for routing control messages transmitted from the control means to the third transmission means, the control means for transmitting the control messages along the fourth transmission means to the second transmission means, and the control messages comprise information on the multicast transmission of the internet protocol network and a command configured to connect to the second transmission means of the internet protocol network configured for multicast transmissions.